


www.anywherefireplace.com Devco LLC Larchmont, NY 10538


This product has been designed for your enjoyment. Please carefully read all warnings and installation instructions before use.



Model: Madison

Model # 90206

INCLUDED ITEMS



ANYWHERE FIREPLACE™

The high style and distinctive contemporary design of the **Anywhere Fireplace**[™] allows the ambiance of a fire to be enjoyed in any room, garden or patio. It is ventless, requiring no chimney or gas line because it uses clean burning bio-ethanol liquid fuel that is smokeless, odorless, and leaves no soot or ash. You can place the **Anywhere Fireplace**[™] in your house, condo, apartment, terrace, garden, office or restaurant. It is sure to match most any décor and adds a rich warm atmosphere to your bedroom, living room, den, dining room... This unique, impressive, eco-friendly modern answer to the fireplace creates a bright yellow, orange and red flame, spreading cheerful glow across the room. It is non-toxic, non-polluting, has no messy clean up and is virtually free of maintenance. One liter of fuel can burn for up to 5 hours.

QUESTIONS

For any questions related to parts or installation visit us on the web at $\mathbf{www.anywherefireplace.com}$ or email us at $\mathbf{info@anywherefireplace.com}$

WARNING \triangle

The **Anywhere Fireplace**™ is **ONLY** to be used with **BIO-ETHANOL LIQUID FUEL FOR FIREPLACES**. The bio-ethanol fuel is a flammable product that requires strict adherence of the safety instructions.

IMPORTANT SAFETY MEASURES

- This fireplace will produce heat, but should not be used as a main source of heat
- This fireplace is intended to be placed on a floor or sturdy surface
- Be sure to keep any flammable materials such as drapes/curtains and any decorations at least 4 ft away from fireplace
- Do not place any items on top of or inside fireplace
- Do not touch the fireplace while lit or still hot
- USE ONLY APPROVED BIO-ETHANOL LIQUID FUEL FOR FIREPLACES
- It is extremely dangerous and forbidden to use bio-ethanol car fuel or any other unapproved fuel
- Always use a funnel to fill the fireplace with fuel
- Never fill the burner more than ³/₄ full
- Never add fuel to the burner while fire is burning or unit is still hot. Allow at least 15 minutes for fuel tray to cool down before refueling
- Do not ingest bio-ethanol fuel and avoid contact with eyes and skin
- Be sure to not spill any fuel outside of the burner. If you do spill, make sure to wipe up all spillage before igniting the fire
- Only use a long match or long lighter to ignite fire
- Be sure to have a fire extinguishing device in the proximity of the fireplace in case of emergencies
- Never leave a lit fireplace unattended
- Be sure to keep children and pets away from the fireplace while lit and while still hot after extinguishing
- Do not smoke when filling the burner with fuel
- Store your fuel containers away from any heat source
- Be sure to store and keep your fuel away and out of reach of children and pets
- To adjust flame height, use handle to open/close burner lid
- To extinguish flame, use burner handle to close burner completely
- It is forbidden to modify this fireplace in any way

FUEL INFORMATION

- USE ONLY APPROVED BIO-ETHANOL LIQUID FUEL FOR FIREPLACES
- Bio-Ethanol Liquid Fuel for fireplaces burns clean without emitting any toxins into the air. Only harmless water vapor
 and CO₂ are produced as byproducts
- Bio-Ethanol Liquid Fuel may be purchased at www.anywherefireplace.com.

INSTALLATION

- Choose a location 4 ft away from flammable objects or materials (drapes, fabrics, furniture, etc.)
- Be sure to remove all packing materials, cardboard, etc. except for white cloth-like material in burner
- White cloth-like material in burner must stay in burner
- The fireplace is intended to be placed on a floor or sturdy surface.
- If you choose to leave fireplace outside, wait until fireplace and burner are cool and either cover the burner or bring the burner indoors to avoid water, leaves, and debris from getting into it


ASSEMBLY INSTRUCTIONS

We suggest you assemble your fireplace on a carpeted surface or on a towel to avoid any scratches to your floor or fireplace.

Please disassemble Rods (Part D) from fireplace body (Part A) by removing the screws and rubber washers (Parts E/F) before beginning assembly steps below.

Step 1


Put fireplace body (Part A) upside down and insert support rods (part D) into each side, across the inside of the body, so that the rods line up with the pre-drilled set of holes on each side the fireplace body.



Step 2


Turn fireplace body on its side with the top facing away from you and place first glass piece (Part B) on top of the body so the holes in the glass line up with the holes in the fireplace frame. It may help to have another person assist in holding the glass steady when attaching.

Note: The fireplace is designed to be suspended between the glass pieces 9 inches from the screws to the floor. Holes in the glass are not centered vertically. The holes in the glass are 9 inched from the intended bottom and should be closer to you when attaching glass to frame. When attaching the glass, make sure the underside of the fireplace body is facing this intended bottom of the glass.




Step 3

Insert transparent washers (Part F) into holes in glass and using the black screws (Part E) screw the glass to the body. The screws attach to the support rod in the underside of the fireplace so make sure these are all in alignment.




Step 4

Turn fireplace onto is other side with the glass side that you just attached on the towel or carpet with the bottom facing you. Repeat Step 3 for this other side, again keeping the shorter distance of glass edge to the holes closer to you.



Step 5


Attach clear rubber floor protectors (Part G) to bottom the fireplace glass and turn it upright. If rubber is longer than the glass, you can cut this to length with a scissor. This is to help protect the glass when standing.



Step 6


Insert burner in the rectangular recess in the center of the fireplace frame.

NOTE: Your burner contains white fiberglass wicking material inside it. Keep this in the burner as it is intended for safety in the event of a possible spill if the fireplace should ever get tipped over. It will also make the flames more consistent.



Step 7

Using the funnel provided (Part I), carefully pour in the **liquid ethanol fuel for fireplaces** into the burner about ³/₄ full. Make sure you do not over fill the burner. If any fuel does spill, you should **always** wipe it up prior to lighting your fireplace.



Step 8

Using a long lighter or long match, light the fuel in the burner and ENJOY!

The handle provided (Part H) has holes that will fit over the posts on the sliding lid of the burner. You can slide the lid of the burner open or closed to get the desired flame height and heat output. When you are ready to extinguish the fireplace, use the handle to slide the lid of the burner completely closed to cut off the oxygen supply to the fuel. This will snuff out the flame.

CAUTION: Fireplace will be hot while lit and may stay hot for a while after extinguishing the flame.

ALWAYS USE CAUTION when lighting the fireplace. Never fill the burner with more fuel while the fireplace is still hot or burning. Allow it to cool down before refilling with fuel.

